Samsung Built-in refrigerator & freezer combination EKG130 (right)

> Web link



Model
Samsung Built-in refrigerator & freezer combination EKG130 (right)

Energy efficiency class
E (New Label 03.21)

Manufacturer ID
BRB26612EWW/WS

Article no.
500.000.154.00

Door hinge
Right

Construction
Euro Norm 60 cm

VRG
26.00

Price CHF
1'791.- excl. VAT

Highlights

- NoFrost+ technology in refrigerator and freezer - the end of de-icing
- Precise Cooling - for maximum temperature accuracy
- All Around Cooling - consistent temperature in the cooling chamber
- Power Freeze - accelerates the freezing process
- Digital Inverter compressor - 10-year warranty
- 3 glass shelves, 1 Rack & Shelf
- 1 vegetable drawer
- 267 litres useable capacity

Product description

Samsung Built-in Refrigerator and Freezer EKG130
Construction: **Euro Norm 60 cm**
GTIN-Nr.: **8806092211186**

Model classification
Energy efficiency class (from A to G): **E**
Efficiency index: **100**
Energy consumption per year: **231 kWh**

Design
Colour/material: **White**
Door handles: **-**

Display and operation
Display: **Digital display**
Display and lighting: **LED, ice blue**
Operation: **Touch LCD**

Interconnection of household appliances
Samsung Smart Home: **-**

Performance properties
Total useable capacity: 267 L
Of which NoFrost: **267 L**
Useable capacity refrigerator: 193 L
Of which cellar refrigeration max./min.: **-**
Of which cold storage compartment: **-**
Useable capacity freezer: 74 L
Freezing capacity: **6 kg in 24 hours**
Storage time in case of outage: **6 hours**
Sound power level: **35 dB(A)**
Airborne sound emission class : **B**
Climate class: **SN-T**
Ambient temperature (min. > max.): **von +10°C bis +43°C**
De-icing process refrigerator: **Automatic**
De-icing process freezer: **Automatic**

Construction and identification
Stand-alone unit: **-**
Built-in unit: **Yes**
Undermount unit:: **-**
Integral: **Yes**
Number of outside doors/pull-outs: **2/-**
Door hinge: **Right (reversible)**

Dimensions
Height:

Samsung Built-in refrigerator & freezer combination EKG130 (right)

> Web link

177,5 cm
Width: **54,0 cm**
Depth: **55,0 cm**
Width with open door/pull-out: **70 cm**
Depth with open door/pull-out: **112 cm**
Dimensions of unit (H x W x D) **: 1775 x 540 x 550 mm**

Empty weight
Unit weight: **62 kg**

Fittings
Adjustable freezer temperature
Independent of refrigerator temperature: **Yes**
Together with refrigerator temperature: **-**
Control for continuous freezer operation: **-**
Control indicators refrigerator
Regular operation: **Lamp**
Temperature indicator: **Inside**
Door open: **Acoustic after 120 sec.**
Control indicators freezer
Regular operation: **Lamp**
Continuous operation: **Lamp**
Malfunction / warning signal: **visual / acoustic**
Door open: **warning signal, acoustic**
Temperature indicator: **inside**
Refrigerator
Egg trays: **6**
Door compartments with flap or sliding door: **-**
Door shelves and/or containers: **4**
Refrigerator storage surfaces: **5**
- - of which adjustable: **2**
Refrigerator containers: **1**
Freezer
Door compartments: **-**
Interior compartments: **1**
Baskets, containers, interior drawers: **2**
Ice cube trays: **Yes**
Additional fittings
Door water and ice dispenser: **-**
ClearView ice maker: **-**
Water filter: **-**
Interior lighting / energy efficiency class: **LED / G**
Fruit and vegetable compartments: **1**
Fresh Zone compartments: **-**
Pull-out tray: **1**
Wine cooler: **Yes / 5 bottles**
Water connection: **-**

Cooling technology
Digital inverter compressor: **Yes**
NoFrost+ technology: **Yes**
Power Freeze: **Yes**
Cool Select Plus: **-**
All Around Cooling (multi-flow): **Yes**
Metal Cooling: **-**
Twin Cooling Plus: **-**
Precise Cooling; **Yes**
Flex zone: **-**
Refrigerant: **R-600a**

Power and water supply
Electrical connection
Supply voltage: **230 V**
Frequency: **50 Hz**
Connection values: **160 W**
Fuse protection: **1,4 A**
Length power connection: 2**.5 m**
Power plug **Plug type 12, 10 A**
Water connection
Water connection: **-**
Pressure hose G 3/4": **-**
Connectable to: **-**
Connectable to cold/hot water: **-**
Water pressure: **-**
Water inlet: **-**
Water outlet: **-**

Technical data
Standard width:

Samsung Built-in refrigerator & freezer combination EKG130 (right)


> Web link

Euro Norm 60 cm
Standard height: **-**
Niche height: **1778 - 1782 mm**
Niche width: **555 - 568 mm**
Niche depth: **min. 560 mm**
Niche dimensions (H x W x D): **1778 - 1782 x 555 - 568 x min. 560 mm**
Max. door front weight refrigerator/freezer: **18 kg / 12 kg**
Assembly technology: **Fixed door assembly**
Unit height: **1775 mm**
Unit width: **540 mm**
Unit depth: **550 mm**

Packaging
Weight, incl. packaging: **64.0 kg**
Packaging dimensions (H x W x D): **1864 x 600 x 629 mm**


Accessory

Optional accessories



> Weblink

500.000.089.00 / CHF 112.-
Mounting kit EKG130 + EKG220 16 mm




> Weblink


500.000.090.00 / CHF 112.-
Mounting kit EKG130 + EKG220 19 mm


Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad
Tel. +41 56 463 63 33
Fax +41 56 463 63 30
E-Mail: suter@suter.ch

Samsung EKG130 BRB26612EWW/WS

SUTER inox technik







EKG130: 230 V / 10 A, T12, 2500 mm


Für dieses Dokument und den darin dargestellten Gegenstand behalten wir uns alle Rechte vor. Vervielfältigung, Bekanntgabe an Dritte oder Verwendung seines Inhalts, ohne unsere ausdrückliche Zustimmung ist untersagt. © Copyright 2005 Suter Inox AG. All rights reserved.


Art.Nr.:	Zeichn.Nr.: 50.02.-21.0015.00.00	Index: 00	fes	20.05.2021


Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad
Tel. +41 56 463 63 33
Fax +41 56 463 63 30
E-Mail: suter@suter.ch


Samsung EKG130 BRB26612EWW/WS


SUTER inox technik














EKG130: 230 V / 10 A, T12, 2500 mm

[Z] Montagezubehör siehe: www.suter.ch

Für dieses Dokument und den darin dargestellten Gegenstand behalten wir uns alle Rechte vor. Vervielfältigung, Bekanntgabe an Dritte oder Verwendung seines Inhalts ohne unsere Zustimmung ist verboten. © Copyright 2005 Suter Inox AG. All rights reserved.

Art.Nr.:	Zeichn.Nr.: 50.02.-21.0015.00.00	Index: 00	fes	20.05.2021