Samsung EGS120 built-in dishwasher

> Web link



Model
Samsung EGS120 built-in dishwasher

Energy efficiency class
D (New Label 03.21)

Manufacturer ID
DW60A6092IB/ET

Article no.
500.000.156.00

Appliance type
Dishwasher

VRG
10.00

Price CHF
1'792.- excl. VAT

Highlights

- Kitchen Fit™-Sliding Door
- Automatic door opener - for clean and dry dishes
- Capacity: 14 standard place settings
- Easy to install at height
- 7 washing programs
- 60 min. express program - for normally soiled dishes
- Flexible cutlery drawer
- Sound power level: 44 dB(A)
- Aqua-stop - for maximum safety
- Automatic program - with automatic detection of degree of soiling

Product description

Construction type: **Euro-Norm 60 cm**
GTIN nuber: **8806090955341**

Consumption
Energy efficiency class (from A to G): **D**
Efficiency index: **49.9**
Energy consumption per cycle: **0,848 kWh**
Energy consumption: 8**4,8 kWh / 100 cycles**
Water consumption per cycle: **10,5 L**
Power consumption in off- / standby mode / time preselection / networked standby mode (if available): **0.49 / - / 1 / - W**

Performance properties
Duration (program ECO): **210 Min.**
Holding capacity (place settings): **14**

Cleaning performance index: **1.13**
Drying performance index: **1.07**
Noise (dB(A), built-in unit): **44 dB(A)**
Airborne sound emission class : **B**

Mounting type
Built-in unit: **Yes**
Large capacity version: **-**
Freestanding with worktop:**-**
Freestanding undercounter: **Yes**
Countertop installation: **Yes**
Decoratable: **-**
Integratable: **-**
Fully integratable: **Yes**

Design
Housing color:**Stainless steel**
Handle: **-**
Control element: **hidden** (fully integrated)

Samsung EGS120 built-in dishwasher

> Web link

Display and operation
Indicator: **Digital display**
Display and lighting: **LED, Ice Blue**
Operation: **Touch operation**

Interconnection of household appliances
Samsung Smart Home: **-**

Dimensions
Unit dimensions (H x W x D): **817 x 598 x 550 mm**
Height adjustable: **0-60 mm** (total height 817 - 877 mm)

Empty weight
Unit weight: **44 kg**

Fittings
Holding capacity (place settings): **14**
Upper rack: **Adjustable height, foldable cup rows, pull-out handle, glass holder**
Lower rack: **Fold-down tines for plates, extendable handle**
Cutlery: **Third loading level**
Interior lining: **Stainless steel**
interior lighting: **-**
Cleaning system: **Rotating spray arm**

Functions
Drying system: **Drying + Automatic door opener**

Programs / display
Number of washing programs: **7**
Washing programs: **Auto, ECO, Intensive, Short programme, Gentle Wash, Express, Self-clean**
Options: **Half load, hygienic washing, delay start, child safety**

Safety
Aqua-stop hose: **Yes**
Leakage sensor: **Yes**
Child safety: **Yes**

Power and water supply
Electrical connection
Voltage: **230 V**
Frequency: **50 Hz**
Connection values: **1,8 kW**
Fuse protection: **10 A**
Length power connection: **1,5 m**
Power plug: **Schuko plug with CH adapter (type 12, 10A)**
Water connection
Pressure hose G 3/4": **Yes**
Connectable to cold/hot water: **max. 60° C**
Water inlet: **1,5 m, flexible hose with Aqua-stop**
Water outlet: **1,6 m, flexible hose**

Technical data
Standard width: **Euro-Norm 60 cm**
Niche height: **820 - 880 mm**
Niche width: **600 mm**
Niche depth: **min. 560 mm**
Height for substructure: **817 - 877 mm**
Depth with door open: **1250 mm**
Max. door front weight: **10 kg**
Unit width: **598 mm**
Unit height: **817 mm**
Unit depth: **550 mm**
Salt funnel (incl): DD81-02921A

Packaging
Weight, incl. packaging: **51 kg**
Packaging dimensions (H x W x D): **875 x 655 x 645 mm**

Samsung EGS120 built-in dishwasher

> Web link

Accessory

Optional accessories




> Weblink


500.000.091.00 / CHF 61.-
Mounting kit EGS110, EGS120, EGS130


Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad
Tel. +41 56 463 63 33
Fax +41 56 463 63 30
E-Mail: suter@suter.ch


Samsung EGS120 Sliding Door DW60A6092IB/ET

SUTER inox technik









EGS120: 230 V / 10 A, T12, 1500 mm

Wasserzulauf / Flexible de raccordement, 1500 mm

Wasserablauf / Évacuation, 1600 mm


Für dieses Dokumument und den darin dargestellten Gegenstand behalten wir uns alle Rechte vor. Vervielfältigung, Bekanntgabe an Dritte oder Verwendung seines Inhalts, ohne unsere Zustimmung ist verboten. © Copyright 2023 Suter Inox AG. All rights reserved.


Art.Nr.: | Zeichn.Nr.: 50.02-21.0034.00.00 | Index:


Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad
Tel. +41 56 463 63 33
Fax +41 56 463 63 30
E-Mail: suter@suter.ch

Samsung EGS120 Sliding Door DW60A6092IB/ET


SUTER inox technik







6 Ohne Frontverkleidung /
Sans revêtement fontal /
Senza rivestimento frontale




** Sockelausschnitt erforderlich /
Découpe du socle requise /
Intaglio della base richiesto

z Montagezubehör siehe: www.suter.ch
Accessoires de montage voir: www.suter.ch
accessori di fissaggio : www.suter.ch

* wenn/si/se B = 800mm
** wenn/si/se B <695mm

3 Für Nischenhöhe / pour Hauteur de niche /
per altezza di nicchia: H = 820 - 850 mm
4 Für Nischenhöhe / pour Hauteur de niche /
per altezza di nicchia: H = 850 - 880 mm
3+4 Im Lieferumfang enthalten / Fourni(s) /
Incluso/a nel corredo di fornitura



Nischenhöhe H (mm) / Hauteur de niche (mm) / Altezza frontale H (mm)	Sockelhöhe A in mm / Hauteur du socle A en mm / Altezza dello zoccolo A in mm																		
	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
880							*											**	**	**
870						*											**	**	**	
860					*											**	**	**		
850				*											**	**	**			
840			*											**	**	**				
830		*											**	**	**					
820	*											**	**	**						

Art.Nr.: | Zeichn.Nr.: 50.02-21.0034.00.00 | Index:

Für dieses Dokument und den darin dargestellten Gegenstand behalten wir uns alle Rechte vor. Vervielfältigung, Bekanntgabe an Dritte oder Verwendung seines Inhalts, ohne unsere Zustimmung ist verboten. © Copyright 2005 Suter Inox AG. All rights reserved.