

Samsung EGS130 built-in dishwasher

[> Web link](#)

Model
Samsung EGS130 built-in dishwasher

Energy efficiency class
D (New Label 03.21)

Manufacturer ID
DW60A6082BB/EO

Article no.
500.000.168.00

Appliance type
Dishwasher

VRG
10.00

Price CHF
1'356.- excl. VAT

Highlights

- Capacity: 13 standard place settings
- 7 washing programs
- 60 min. express program - for normally soiled dishes
- 30 min. short program - for lightly soiled dishes
- Flexible interior
- Hygienic washing up to 67°C
- Sound power level: 44 dB(A)
- Aqua-stop - for maximum safety
- Automatic program - with automatic detection of degree of soiling
- Half load - saves energy and water

Product description

Construction type: **Euro-Norm 60 cm**
GTIN number: **8806090955150**

Consumption

Energy efficiency class (from A to G): **D**
Efficiency index: **49.9**

Energy consumption per cycle: **0,836 kWh**
Energy consumption: **83,6 kWh / 100 cycles**

Water consumption per cycle: **10,5 L**

Power consumption in off- / standby mode / time preselection / networked standby mode (if available): **0.49 / - / 1 / - W**

Performance properties

Duration (program ECO): **210 Min.**

Holding capacity (place settings): **13**

Cleaning performance index: **1.13**

Drying performance index: **1.07**

Noise (dB(A), built-in unit): **44 dB(A)**

Airborne sound emission class: **B**

Mounting type

Built-in unit: **Yes**

Freestanding with worktop: **-**

Freestanding undercounter: **Yes**

Countertop installation: **Yes**

Decoratable: **-**

Integratable: **-**

Fully integratable: **Yes**

Design

Housing color: **Stainless steel**

Handle: **-**

Control element: **hidden** (fully integrated)

Samsung EGS130 built-in dishwasher[> Web link](#)**Display and operation**

Indicator: **Digital display**
Display and lighting: **LED, Ice Blue**
Operation: **Touch operation**

Interconnection of household appliances

Samsung Smart Home: -

Dimensions

Unit dimensions (H x W x D): **817 x 598 x 560 mm**
Height adjustable: **0-90 mm**

Empty weight

Unit weight: **42 kg**

Fittings

Holding capacity (place settings): **13**
Upper rack: **Adjustable height, foldable cup rows, pull-out handle, glass holder**
Lower rack: **Fold-down tines for plates, extendable handle**
Cutlery: **Cutlery basket**
Interior lining: **Stainless steel**
interior lighting: -
Cleaning system: **Rotating spray arm**

Functions

Drying system: **Drying + Automatic door opener**

Programs / display

Number of washing programs: **7**
Washing programs: **Auto, ECO, Intensive, Short programme, Gentle Wash, Express, Self-clean**
Options: **Half load, hygienic washing, delay start, child safety**

Safety

Aqua-stop hose: **Yes**
Leakage sensor: **Yes**
Child safety: **Yes**

Power and water supply**Electrical connection**

Voltage: **230 V**
Frequency: **50 Hz**
Connection values: **1,8 kW**
Fuse protection: **10 A**
Length power connection: **1,5 m**
Power plug: **Schuko plug with CH adapter (type 12, 10A)**

Water connection

Pressure hose G 3/4": **Yes**
Connectable to cold/hot water: **max. 60° C**
Water inlet: **1,5 m, flexible hose with Aqua-stop**
Water outlet: **1,6 m, flexible hose**

Technical data

Standard width: **Euro-Norm 60 cm**
Niche height: **820 - 910 mm**
Niche width: **600 mm**
Niche depth: **min. 560 mm**
Height for substructure: **817 - 907 mm**
Depth with door open: **1165 mm**
Max. door front weight: **7 kg**
Unit width: **598 mm**
Unit height: **817 mm**
Unit depth: **560 mm**
Salt funnel (incl): **DD81-02921A**


Packaging

Weight, incl. packaging: **48 kg**
Packaging dimensions (H x W x D): **875 x 655 x 645 mm**


Samsung EGS130 built-in dishwasher > Web link

Accessory




Optional accessories



> Weblink
500.000.091.00 / CHF
61.-
Mounting kit EGS110,
EGS120, EGS130




> Weblink
500.000.061.00 / CHF
56.-
Cutlery basket EGS30







EGS130: 230 V / 10 A, T12, 1500 mm

△ Wasserzulauf / Flexible de raccordement, 1500 mm

♣ Wasserablauf / Évacuation, 1400 mm



Dieses Dokument und alle darin enthaltenen Informationen sind das geistige Eigentum der Suter Inox AG. Nachdruck, Vervielfältigung, Verbreitung, auch auszugsweise, ist ohne schriftliche Genehmigung der Suter Inox AG. All rights reserved.



⁷Montagezubehör siehe: www.suter.ch
 Accessoires de montage voir: www.suter.ch
 V. accessori di fissaggio : www.suter.ch

¹Blende/Distanzplatte bauseits / Panneau/Plaque d'écartement, fourni par le cleint / Pannello/Distanziale fornito da parte cliente
²Distanzplatte bauseit / Plaque d'écartement fourni par le cleint / Distanziale fornito da parte cliente

³Für Nischenhöhe / pour Hauteur de niche / per altezza di nicchia: H = 820 - 860 mm

⁴Für Nischenhöhe / pour Hauteur de niche / per altezza di nicchia: H = 860 - 910 mm

³⁺⁴Im Lieferumfang enthalten / Fourni(s) / Incluso/a nel corredo di fornitura

Sockelhöhe A in mm / Hauteur du socle A en mm / Altezza dello zoccolo A in mm

	100	110	120	130	140	150	160	170	180	190	200	210
Nischenhöhe H / Hauteur de niche en mm / Altezza frontale F in mm												
910												
900												
890												
880												
870												
860												
850												
840												
830												
820												