

Food Center / Side-by-Side SBS2020

[> Web link](#)

Model
LG Food Center / Side-by-Side SBS2020

Energy efficiency class
E (New Label 03.21)

Manufacturer ID
GSJV70PZTE

Article no.
530.000.002.00

Door hinge
right / left

VRG
46.30

Price CHF
2'997.- excl. VAT

Highlights

- Door-in-Door™ - quick access, save energy
- DoorCooling+™ - fast and even cooling, more freshness
- Inverter Linear Compressor™ - quiet, economical and reliable
- Multi-air-flow recirculation cooling - innovative air circulation throughout the interior
- Total No Frost - never defrost again
- WiFi, ThinQ® - connected future built in
- Ice, crushed ice and water dispensers
- 635 litres useful capacity

Product description

Construction: **Standalone**
GTIN-Nr.: **8806091423283**

Model classification

Energy efficiency class (from A to G): **E**
Efficiency index: **100**
Energy consumption per year: **350 kWh**

Design

Colour: **Platinum Silver**
Door handles: **Grip recess horizontal**

Display and operation

Display: **Digital indicator**
Display and lighting: **LED, white**
Operation: **Touch control WiFi**

Interconnection of household appliances

Samsung Smart Home: **WiFi, ThinQ®**

Performance properties

Total useable capacity: 635 L
Useable capacity refrigerator: 416 L
Of which cellar refrigeration max./min.: -
Of which cold storage compartment: -
Useable capacity freezer: 219 L
Star rating freezer compartment: * * * *
Frost-free refrigerator / freezer compartment (No Frost): **Yes / Yes**
Freezing capacity: **12 kg in 24 hours**
Storage time in case of outage: **2 hours**
Sound power level: **36 dB(A)**
Airborne sound emission class: **C**
Climate class: **T**
Ambient temperature (min. > max.): **from +18 °C to +43°C**
Type of light source / energy efficiency class A to G: **LED / G**

Construction and identification

Stand-alone unit: **Yes**
Built-in unit: -
Undermount unit: -
Integral: -
Number of outside doors/pull-outs: **3 / -**
Door hinge: **Left, right**

Dimensions

Height: **179 cm**
Width:

91.3 cmDepth: **73.5 cm**Width with open door/pull-out: **163,5 cm**Depth with open door/pull-out: **118 cm**Dimensions of unit (H x W x D) : **1790 x 913 x 735 mm****Empty weight**Unit weight: **131 kg****Fittings****Cooling section**Operation Temperature setting: **Touch operation, WiFi**Refrigerator temperature display (digital): **inside**Temperature display freezer compartment (digital): **inside****Adjustable freezer temperature**Independent of refrigerator temperature: **Yes**Together with refrigerator temperature: **-**Quick freeze switch with automatic reset: **Yes**Warning signal / malfunction freezer compartment: **acoustic**Door open: **acoustic****Equipment refrigerator**Number of glass shelves (storage surfaces): **4**Number of door compartments (and/or containers): **4**Number of vegetable drawers (containers): **2**Wine compartment: **-**Egg trays: **Yes****Equipment freezer**Number of glass shelves (storage surfaces): **4**Baskets, containers, interior drawers: **2**Ice cube trays: **-****Additional fittings**Door water and ice dispenser: **Yes, incl. crushed ice**Smart Diagnosis: **Yes**UVnano Technologie: **-**Water filter: **Yes (optional)**Fresh Zone compartments: **1**Pull-out tray: **-**Water connection: **Yes**Insta View Door-in-Door TM: **Yes**Door-in-Door TM: **Yes****Cooling technology**Inverter Linear Compressor TM: **Yes**Total No Frost: **Yes**Express- Cool / Freeze: **Yes / Yes**Multi Air Flow recirculating air cooling: **Yes**Metal Fresh: **-**Linear Cooling: **Yes**DoorCooling+: **Yes**Pure N Fresh: **-**Refrigerant: **R600a****Power and water supply****Electrical connection**Supply voltage: **230 V**Frequency: **50 Hz**Connection values: **250 W**Fuse protection: **2.5 A**Length power connection: **ca. 2 m**Power plug: **Schuko plug with CH adapter (type 12, 10A)****Water connection**Water connection: **Yes**AquaStopp: **-**Pressure hose G 3/4": **3/4" transition piece** included in the scope of deliveryConnectable to: **all machine outlet valves**Connectable to cold/hot water: **Ja / -**Water pressure: **2 to max. 8 bar**Water inlet: **5 m flexible hose**Water outlet: **-****Technical data**Unit height: **1790 mm**Unit width: **913 mm**Unit depth: **735 mm****Packaging**Weight, incl. packaging: **141 kg**

Packaging dimensions (H x W x D):

Food Center / Side-by-Side SBS2020 > Web link

1891 x 968 x 770 mm

Planning information: **min. 5cm clearance on all sides**

Accessory

Included accessories







> Weblink
530.000.006.00 / CHF 2.-
Water filter LG
ADQ73693901

Optional accessories




> Weblink
530.000.006.00 / CHF
92.-
Water filter LG
ADQ73693901



SBS2020: 230V / 10A, T12, 2000mm



Für dieses Dokument sind die entsprechenden Copyschutztechnologien wie eine alle Rechte vor Verfertigung, Bekanntgabe an Dritte oder Verwendung seines Inhalts, ohne unsere Zustimmung, ist verboten. © Copyright 2008 Suter Inox AG. All rights reserved.



- Bauseitige Anschlüsse (Strom, Wassereinlauf) dürfen nicht hinter dem Gerät liegen. Das Gerät muss jederzeit ohne Demontage von Möbelteilen aus der Nische gezogen werden können.
- Les raccordements fournis par le client (électricité, arrivée d'eau) ne doivent pas être situés derrière l'appareil. L'appareil doit pouvoir être extrait de la niche sans démonter aucun élément du meuble.
- Gli allacciamenti a cura del committente (elettricità, entrata dell'acqua) non devono trovarsi dietro l'apparecchio. Dev'essere sempre possibile estrarre l'apparecchio dalla nicchia senza smontare parti di mobili.

Frontbündig
 Façade affleurante
 A filo sulla parte anteriore

Gehäusebündig
 Carrosserie affleurante
 A filo con l'alloggiamento



Für dieses Dokument sind die entsprechenden Übersetzungen in alle Sprachen der Schweiz, des Liechtensteins und der italienischen Schweiz sowie die Übersetzungen in alle Sprachen der Europäischen Union, des Vereinigten Königreichs und der Türkei zu verstehen. © Copyright 2003 Suter Inox AG. All rights reserved.
 Questo documento è destinato a essere tradotto in tutte le lingue parlate in Svizzera, in Liechtenstein e in Italia. I diritti di traduzione sono riservati. © Copyright 2003 Suter Inox AG. Tutti i diritti sono riservati.