

Samsung Food Center / Side-by-Side SBS340

[> Web link](#)

Model
Samsung Food Center / Side-by-Side SBS340

Energy efficiency class
E (New Label 03.21)

Manufacturer ID
RS62DG5003S9WS

Article no.
500.000.193.00

Door hinge
right / left

VRG
46.30

Price CHF
1'725.- excl. VAT

Highlights

- Mono Cooling - uniform cooling keeps food fresh for longer
- AI Energy Mode (WLAN) - optimised power consumption
- NoFrost+ technology - the end of de-icing
- Precise Cooling - for maximum temperature accuracy
- All Around Cooling - consistent temperature in the cooling chamber
- Power Cool / Power Freeze - particularly fast cooling / freezing
- Thrifty and reliable due to digital inverter technology
- SpaceMax - More useful capacity
- Large freezer compartment
- 655 litres useable capacity

Product description

Construction: **Standalone**
GTIN-Nr.: **8806095540832**

Model classification

Energy efficiency class (from A to G): **E**
Efficiency index: **100**
Energy consumption per year: **351 kWh**

Design

Colour: **Refined Inox**
Door handles: **Grip recess**

Display and operation

Display: **Digital indicator**
Display and lighting: **LED**
Operation: **Touch control**

Interconnection of household appliances

Samsung Smart Home: **WiFi Smart Things**

Performance properties

Total useable capacity: **655 L**
Useable capacity refrigerator: **418 L**
Of which cellar refrigeration max./min.: -
Of which cold storage compartment: -
Useable capacity freezer: **237 L**
Frost-free fridge / freezer compartment (No Frost): **Yes / Yes**

Performance

Freezing capacity: **15 kg in 24 hours**
Storage time in case of outage: **6 hours**
Sound power level: **37 dB(C)**
Airborne sound emission class : **C**
Climate class: **SN N ST T**
Ambient temperature (min. > max.): **from +10°C to +43°C**
Interior lighting / energy efficiency class: **LED / G**

Construction and identification

Samsung Food Center / Side-by-Side SBS340[> Web link](#)

Stand-alone unit: **Yes**
Built-in unit: -
Undermount unit: -
Integral: -
Number of outside doors/pull-outs: **2 / 4**
Door hinge: **Left, right**

Dimensions

Height: **178 cm**
Width: **91.2 cm**
Depth: **71.6 cm**
Width with open door/pull-out: **174,5 cm**
Depth with open door/pull-out: **117 cm**
Dimensions of unit (H x W x D) : **1780 x 912 x 716 mm**

Empty weight

Unit weight: **101 kg**

Fittings

Operation Temperature setting: **Touch operation**
Refrigerator temperature display: **Inside**
Temperature display freezer compartment: **Inside**

Adjustable freezer temperature

Independent of refrigerator temperature: **Yes**
Together with refrigerator temperature: -
Quick freeze switch with automatic reset: **Yes**
Malfunction / warning signal: **Visual / Acoustic**
Door open: **Visual / Acoustic**

Refrigerator

Number of glass shelves (shelves): **4**
Number of door compartments (and/or containers): **5**
Number of vegetable drawers (containers): **2**
Wine cooler: -
Egg trays: **10**

Freezer

Interior compartments: **4**
Baskets, containers, interior drawers: **2**
Ice cube trays: **Yes**

Additional fittings

Door water and ice dispenser: -
ClearView ice maker: -
Water filter: -
Fresh Zone compartments: -
Pull-out tray: **1**
Water connection: -

Cooling technology

Digital inverter compressor: **Yes**
NoFrost+ technology: **Yes**
Power Cool / Power Freeze: **Yes**
All Around Cooling (multi-flow): **Yes**
Metal Cooling: -
Smart Conversion 5-in-1: -
AI Energy Mode (WLAN): **Yes**
Cool Select Plus: -
Twin Cooling: -
Mono Cooling: **Yes**
Precise Cooling: **Yes**
Flex zone: -
Refrigerant: **R-600a**

Power and water supply

Electrical connection

Supply voltage: **230 V / 50Hz**
Connection values: **220 W**
Fuse protection: **2.5 A**
Length power connection: **2.0 m**
Power plug **Plug type 12, 10 A**

Water connection


Water connection: -
AquaStopp: -
Pressure hose G 3/4": -
Connectable to: -
Connectable to cold/hot water: -
Water pressure: -
Water inlet: -
Water outlet: -

Technical data

Unit height: **1780 mm**
Unit width: **912 mm**
Unit depth: **716 mm**

Packaging

Weight, incl. packaging: **108 kg**
Packaging dimensions (H x W x D): **1907 x 980 x 776 mm**





SBS340: 230V / 2.5A, T12, 2000mm

- Bauseitige Anschlüsse (Strom, Wassereinlauf) dürfen nicht hinter dem Gerät liegen. Das Gerät muss jederzeit ohne Demontage von Möbelteilen aus der Nische gezogen werden können.
- Les raccordements fournis par le client (électricité, arrivée d'eau) ne doivent pas être situés derrière l'appareil. L'appareil doit pouvoir être extrait de la niche sans démonter aucun élément du meuble.
- Gli allacciamenti a cura del committente (elettricità, entrata dell'acqua) non devono trovarsi dietro l'apparecchio. Dev'essere sempre possibile estrarre l'apparecchio dalla nicchia senza smontare parti di mobili.

Frontbündig
 Façade affleurante
 A filo sulla parte anteriore

Gehäusebündig
 Carrosserie affleurante
 A filo con l'alloggiamento



SBS340: 230V / 2.5A, T12, 2000mm