

BORA X Pure Rough PUXA2R

[> Web link](#)**Brief description**

Surface induction glass ceramic cooktop with extraction system (matt glass ceramic)

Mode of operation

Exhaust air

Article no.

40.002.957.00

VRG

5.56

Price CHF

3819.- O excl. VAT

Product description**BORA surface induction cooktop with integrated cooktop extractor (exhaust air) PUXA2R****Product description****Cooktop**

- Matt glass ceramic
- Power level for each cooking zone
- Bridge function
- Timer cooking zones
- Short-term alarm clock
- Residual heat display
- Pot detection
- Pause function
- Warming function
- Parental lock
- Safety shutdown
- Demo mode

Extraction system

- Three-colour sControl+ operation
- Power stage
- Automatic trigger control
- Automatic overrunning
- Cleaning lock
- Front power socket
- Exhaust air path length max. 6 m

Scope of delivery

- Surface induction hob with integrated hob extractor - exhaust air PUXA2R
- PUXED2 inlet nozzle, black
- Stainless steel grease filter PUEF
- Operating and installation instructions
- Mounting clamps, sealing tape
- Height adjustment plate set
- Housing cover power supply
- Installation accessories for the power supply
- Duct connector flat EFV

Planning guidelines

- Ensure adequate ventilation under the hob
- Please note that induction-compatible cookware must be used for induction hobs
- Connection cable must be provided by the customer
- Front power socket
- No compatibility with BORA universal ventilators

Technical data**Supply voltage**

400 V 2N /3N
230 V

Frequency

50 Hz

Maximum power consumption

7,6 kW

Fuse protection / power connection

3 x 16 A
2 x 16 A

BORA X Pure Rough PUXA2R

[> Web link](#)

Equipment mass (without duct connections)

830 x 515 x 199 mm

Weight (incl. accessories / packaging)

23,8 kg

Material surface

Glass Ceramic

Cooktop

Induction cooking zone front

230 x 230 mm

2100 W

Power level

3000 W

Induction cooking zone rear

230 x 230 mm

2100 W

Power level

3000 W

Power levels

1-9, P

Trigger system

Maximum air volume

597 m³ / h

Power levels

1 - 9, P


Connection on exhaust air side

BORA Ecotube, 245 x 89 mm

Not compatible with PUED inlet nozzle

Accessory

Optional accessories



[> Weblink](#)

80.100.016.00 / CHF
359.-

Ventilation planning




[> Weblink](#)

80.100.017.00 / CHF
192.-


Revision of the planning

Other Articles


You can find additional articles here [> Weblink](#)




40.002.958.00 / CHF
3985.-
BORA X Pure Rough
PUXU2R




40.002.955.00 / CHF
3593.-
BORA X Pure PUXA2




40.002.956.00 / CHF
3759.-
BORA X Pure PUXU2



40.002.065.00 / CHF
2713.-
BORA Pure PURA



40.002.066.00 / CHF
2879.-
BORA Pure PURU



40.002.413.00 / CHF
2124.-
BORA S Pure PURSA

BORA X Pure Rough PUXA2R

[> Web link](#)

40.002.390.00 / CHF
2290.-
BORA S Pure PURSU



40.002.759.00 / CHF
3068.-
BORA M Pure PURMA



40.002.760.00 / CHF
3234.-
BORA M Pure PURMU