

BORA hob extraction system PKAS3AB All Black, Professional 3.0

> Web link



Brief description Extraction system Mode of operation Recirculated-air or exhaust air Article no. 40.002.234.00

VRG 2.31 Price CHF 4083.- O excl. VAT

Product description

Product description BORA Professional 3.0 hob extraction system PKAS3AB All Black

The PKAS3AB is a compact system in which the fan motor and hob extractor form a single unit.

Power control via control knob

Power level indicator

Electric shutter

Shutter sensor

Stainless steel grease filter

Grease filter sensor

Automatic hob extractor

Automatic run-on

Filter service indicator

Interface for external devices

Safety shut-off

Connection option for an additional BORA fan module

All Black Version, DLC coated

Technical data

Supply voltage

220 - 240 V

Frequency

Maximum power consumption

550 W

Weight (incl. accessories and packaging)

12.5 kg

Dimensions (width x depth x height)

468 x 540 x 199 mm

Power levels

1-9, P Exhaust air connection

BORA Ecotube 245 x 89 mm

Scope of delivery

PKAS3 hob extraction system incl. fan motor

Operating and installation instructions

Height compensation plate set

Mounting clamps

Control knob All Black

Stainless steel grease filter

Filter tray

Maintenance tray

Closing flap

Cable control knob - interface/extractor

Mains cable 1 m with plug type 12, 10 A

Planning information

Possible as recirculation or exhaust air system

Can be combined with all BORA Professional hobs and BORA Universal fan modules

Worktop height can be individually adjusted

Worktop depth: >= 700

Type of installation: flush-mounted or top unit

The drawers or shelves in the base unit must be removable for maintenance and cleaning purposes.

The BORA Ecotube duct system is optimally matched to the BORA hob extractors and guarantees 100% function and best performance. An additional universal fan module must be used if the exhaust air path is longer than 6 m or if there are high pressure losses.

Exhaust air routing only possible to the right

Planning note: With these units, the duct connection is designed for the BORA Ecotube duct system. To connect BORA Ecotube (connection 245 x 89 mm) with Naber connections (222 x 89 mm), an adapter (EFA, 40.001.779.00) is available / can be ordered separately.

BORA hob extraction system PKAS3AB All Black, Professional 3.0

> Web link

Accessory

Optional accessories



> Weblink 40.002.034.00 / CHF 135.-**BORA socket USTJAB** All Black



> Weblink 80.100.016.00 / CHF 359 -Ventilation planning



> Weblink 80.100.017.00 / CHF 192.-Revision of the planning

Other Articles



40.002.292.00 / CHF 9632.-BORA Set PKA3 + PKFI3 + PKT3. Professional 3.0



7067.-BORA Set PKA3 + 2x PKCH3, Professional 3.0



40.002.231.00 / CHF 2152. BORA hob extractor PKA3. Professional 3.0



40.002.532.00 / CHF 1730.-HiLight Professional Cooktop All Black



10341.-BORA Set PKA3AB + 2 x PKFI3 Professional 3.0



40.002.293.00 / CHF 10852.-BORA Set PKA3AB + PKFI3 + PKT3. Professional 3.0



40.002.295.00 / CHF BORA Set PKA3AB + 2x PKCH3, Professional 3.0



40.002.232.00 / CHF BORA hob extractor PKA3AB All Black, Professional 3.0




BORA Set PKAS3 + 2x PKFI3 Professional 3.0



8888.-BORA Set PKAS3 + PKFI3 + PKT3, Professional 3.0



40.002.300.00 / CHF BORA Set PKAS3 + 2x PKCH3, Professional 3.0



40.002.233.00 / CHF 3229.-BORA hob extraction system PKAS3, Professional 3.0



40.002.297.00 / CHF 9597. BORA Set PKAS3AB + 2x PKFI3AB Professional 3.0



40.002.299.00 / CHF 10108.-BORA Set PKAS3AB + PKFI3 + PKT3, Professional 3.0



40.002.301.00 / CHF 7543.-BORA Set PKAS3AB + 2x PKCH3, Professional



40.002.234.00 / CHF 4083.-BORA hob extraction system PKAS3AB All Black, Professional 3.0



40.002.239.00 / CHF 2574.-BORA PKFI3 surface induction glass ceramic hob, Professional 3.0



40.002.535.00 / CHF 2757.-BORA PKFI3AB surface induction glass ceramic hob, Professional 3.0, All Black



40.002.242.00 / CHF 3085.-BORA PKT3 Teppan stainless steel grill, Professional 3.0



40.002.539.00 / CHF 3268.-BORA PKT3AB Teppan stainless steel grill, Professional 3.0, All Black



40.002.237.00 / CHF 1547.-BORA PKCH3 Hyper glass ceramic hob, Professional 3.0



40.002.534.00 / CHF 1730.-BORA PKCH3AB Hyper glass ceramic hob, Professional 3.0, All Black



40.002.288.00 / CHF BORA Set PKA3 + ULS, Professional 3.0



40.002.238.00 / CHF 2238 -**BORA PKI3 induction** glass ceramic hob, Professional 3.0



BORA hob extraction system PKAS3AB All Black, Professional 3.0

> Web link



40.002.537.00 / CHF 2421.-BORA PKI3AB induction glass ceramic hob, Professional 3.0, All Black



40.002.240.00 / CHF 2767.-BORA PKIW3 Induction Glass Ceramic Wok, Professional 3.0



40.002.538.00 / CHF 2950.-BORA PKIW3AB Induction Glass Ceramic Wok, Professional 3.0, All Black



40.002.235.00 / CHF 1547.-BORA PKC3 HiLight glass ceramic hob, Professional 3.0



40.002.289.00 / CHF 4827.-BORA Set PKA3AB + ULS, Professional 3.0



40.002.241.00 / CHF 2771.-BORA PKG3 gas glass ceramic hob, Professional 3.0



40.002.536.00 / CHF 2954.-BORA PKG3AB gas glass ceramic hob, Professional 3.0, All Black



40.002.287.00 / CHF 3367.-BORA Set PKIW3 + HIW1, Professional 3.0



40.002.552.00 / CHF 3550.-BORA Set PKIW3AB + HIW1, Professional 3.0, All Black





40.002.236.00 / CHF 1583.-BORA PKCB3 HiLight glass ceramic hob, Professional 3.0





40.002.533.00 / CHF 1766.-BORA PKCB3AB HiLight glass ceramic hob, Professional 3.0, All Black











technical data

| Supply voltage | 220 – 240 V |
|--------------------------------------|--------------------|
| Frequency | 50/60 Hz |
| Maximum power consumption | 550 W |
| Power supply cable length | 2 m |
| Dimensions (width x depth x height) | 468 x 540 x 199 mm |
| Weight (incl. accessories/packaging) | 12.5 kg |
| Cooktop extractor power levels | 1 - 9, P |
| duct connection | BORA Ecotube |

Product description

- Intuitive control knob
- DLC (diamond-like-carbon) coated
- Automatic cover flap
- · Premium design
- Simple cleaningIntegrated grease drip pan
- Modular system
- Automatic extractor control
- Maximum storage space
- · Integrated fan

Scope of delivery

- Cooktop extractor system with integrated fan PKAS3AB
- Control knob
- 4 x Pro knob ring All Black PKR3AB
- · stainless steel grease filter
- · Filter tray
- · Maintenance tray
- · cover flap
- · connection cable for the control knob
- · operating and installation instructions
- height adjustment plate set
- Mounting clamps
- Power supply cable with type E + F plugs

Accessories

- PKA1FF stainless steel grease filter
- · PKA1VK cover flap
- PKA 1FW filter tray
- UNLI type I power supply cable (AUS)
- UNLI type I power supply cable (AUS)
 UNLG type G power supply cable (GB-IE)
 UNLB type B power supply cable (PH)
 UNLH type H power supply cable (IL)

product- and planning instructions

- · Suitable for use as a recirculation or exhaust system
- Compatible with all BORA Professional 3.0 cooktops and BORA Universal fan
- In addition, four knob ring All Black are included for the adjacent cooktops
- Use of an additional fan module is possible for very long or complex exhaust
- The worktop height can be adjusted as necessary
- Worktop depth: ≥ 700 mm
- · Installation type: flush or surface-mounted
- The drawers and/or shelves in the floor unit must be removable for maintenance and cleaning purposes
- The BORA Ecotube duct system is optimally tailored to the BORA cooktop extractors and guarantees 100% functionality and optimum performance
- The Professional cooktop extractor system can be combined with all BORA
- Duct connection on the back of the appliance