

BORA PKI3 induction glass ceramic hob, Professional 3.0[> Web link](#)

Brief description
Induction cooktop

Article no.
40.002.238.00

VRG
2.31

Price CHF
2238.- O excl. VAT

Product description**Product description BORA Professional 3.0 PKI3 induction glass ceramic hob**

Keep warm function
Power level
Bridge function
Residual heat indicator
Pause function
Timer function
Configuration menu
Can be mounted rotated 180°
Cooking zone display on control knob
Demo mode
Pot detection
Automatic cooking system
Digital power level display on the control knob and on the hob
Child safety
Safety switch off

Digital power level display on the hob. Power level display can be installed on the right or left side of the hob (hob can be installed rotated by 180°).

Technical data**Supply voltage**

230 V

Frequency

50 Hz

Maximum power consumption

3,68 kW

Maximum connection value

3,68 kW

Minimum fuse protection

1 x 16 A

Power level

1-9, P

Weight (incl. accessories / packaging)

8,0 kg

Material surface

SCHOTT CERAN

Mains connection

1,5 m

Dimensions (W x D x H)

370 x 540 x 52 mm

Front cooking zone size

230 mm

Front cooking zone performance

2300 W

Front cooking zone power level

3680 W

Rear cooking zone size

165 mm

Rear cooking zone performance

1400 W

Rear cooking zone power level

2200 W

Scope of delivery

Surface induction ceramic glass cooktop PKI3
2 x control knobs
Mounting brackets
Height adjustment plate set
Operating and installation instructions
2 x connection cables Control knob
Connection cable to extractor

BORA PKI3 induction glass ceramic hob, Professional 3.0

[> Web link](#)

Mains connection (L, N, PE) without plug

Planning guidelines

Please note that induction-proof cookware is required for induction cooktops

Please provide sufficient ventilation below the induction cooktop

Planning note for installation in 2 / 1 combinations (2 induction hobs, 1 hob extractor):

Hobs with power level display can be installed either centrally (adjacent to hob extractor on both sides) or facing outwards.

Accessory

Optional accessories



> Weblink

40.001.767.00 / CHF 97.-
BORA socket USTJ



> Weblink

40.002.034.00 / CHF 135.-
BORA socket USTJAB
All Black



> Weblink

40.001.775.00 / CHF 19.-
BORA Glass ceramic
scraper UGS

Compatible Articles



> Weblink

40.002.244.00 / CHF 111.-
BORA Lock collar
PKR3AB Prof. 3.0



> Weblink

40.002.243.00 / CHF 74.-
BORA Lock collar PKR3
Prof. 3.0

Other Articles


You can find additional articles here [> Weblink](#)




40.002.292.00 / CHF 9632.-
BORA Set PKA3 +
PKFI3 + PKT3,
Professional 3.0



40.002.294.00 / CHF 7067.-
BORA Set PKA3 + 2x
PKCH3, Professional 3.0



40.002.231.00 / CHF 2152.-
BORA hob extractor
PKA3, Professional 3.0



40.002.532.00 / CHF 1730.-
HiLight Professional
Cooktop All Black



40.002.291.00 / CHF 10341.-
BORA Set PKA3AB + 2 x
PKFI3 Professional 3.0



40.002.293.00 / CHF 10852.-
BORA Set PKA3AB +
PKFI3 + PKT3,
Professional 3.0



40.002.295.00 / CHF 8287.-
BORA Set PKA3AB + 2x
PKCH3, Professional 3.0



40.002.232.00 / CHF 3006.-
BORA hob extractor
PKA3AB All Black,
Professional 3.0




40.002.296.00 / CHF 8377.-
BORA Set PKAS3 + 2x
PKFI3 Professional 3.0



40.002.298.00 / CHF 8888.-
BORA Set PKAS3 +
PKFI3 + PKT3,
Professional 3.0



40.002.300.00 / CHF 6323.-
BORA Set PKAS3 + 2x
PKCH3, Professional 3.0



40.002.233.00 / CHF 3229.-
BORA hob extraction
system PKAS3,
Professional 3.0

BORA PKI3 induction glass ceramic hob, Professional 3.0
[> Web link](#)


40.002.297.00 / CHF 9597.-
BORA Set PKAS3AB +
2x PKFI3AB Professional
3.0



40.002.299.00 / CHF 10108.-
BORA Set PKAS3AB +
PKFI3 + PKT3,
Professional 3.0



40.002.301.00 / CHF 7543.-
BORA Set PKAS3AB +
2x PKCH3, Professional
3.0



40.002.234.00 / CHF 4083.-
BORA hob extraction
system PKAS3AB All
Black, Professional 3.0



40.002.239.00 / CHF 2574.-
BORA PKFI3 surface
induction glass ceramic
hob, Professional 3.0



40.002.535.00 / CHF 2757.-
BORA PKFI3AB surface
induction glass ceramic
hob, Professional 3.0, All
Black



40.002.242.00 / CHF 3085.-
BORA PKT3 Teppan
stainless steel grill,
Professional 3.0



40.002.539.00 / CHF 3268.-
BORA PKT3AB Teppan
stainless steel grill,
Professional 3.0, All
Black



40.002.237.00 / CHF 1547.-
BORA PKCH3 Hyper
glass ceramic hob,
Professional 3.0



40.002.534.00 / CHF 1730.-
BORA PKCH3AB Hyper
glass ceramic hob,
Professional 3.0, All
Black




40.002.288.00 / CHF 3973.-
BORA Set PKA3 + ULS,
Professional 3.0




40.002.238.00 / CHF 2238.-
BORA PKI3 induction
glass ceramic hob,
Professional 3.0



40.002.537.00 / CHF 2421.-
BORA PKI3AB induction
glass ceramic hob,
Professional 3.0, All
Black



40.002.240.00 / CHF 2767.-
BORA PKIW3 Induction
Glass Ceramic Wok,
Professional 3.0




40.002.538.00 / CHF 2950.-
BORA PKIW3AB
Induction Glass Ceramic
Wok, Professional 3.0,
All Black




40.002.235.00 / CHF 1547.-
BORA PKC3 HiLight
glass ceramic hob,
Professional 3.0




40.002.289.00 / CHF 4827.-
BORA Set PKA3AB +
ULS, Professional 3.0




40.002.241.00 / CHF 2771.-
BORA PKG3 gas glass
ceramic hob,
Professional 3.0



40.002.536.00 / CHF 2954.-
BORA PKG3AB gas
glass ceramic hob,
Professional 3.0, All
Black



40.002.287.00 / CHF 3367.-
BORA Set PKIW3 +
HIW1, Professional 3.0







40.002.552.00 / CHF 3550.-
BORA Set PKIW3AB +
HIW1, Professional 3.0,
All Black



40.002.236.00 / CHF 1583.-
BORA PKCB3 HiLight
glass ceramic hob,
Professional 3.0



40.002.533.00 / CHF 1766.-
BORA PKCB3AB HiLight
glass ceramic hob,
Professional 3.0, All
Black



technical data

Supply voltage	220 - 240 V
Frequency	50/60 Hz
Maximum power consumption	3.68 kW
Maximum power rating	3.68 kW
Minimum fuse protection	1 x 16 A
Power supply cable length	1,5 m
Dimensions (width x depth x height)	370 x 540 x 52 mm
Weight (incl. accessories/packaging)	8.0 kg
Surface material	SCHOTT CERAN®
Cooktop power levels	1 - 9, P
Size of front cooking zone	Ø 230 mm
Size of rear cooking zone	Ø 165 mm
Front cooking zone output	2300 W
Rear cooking zone output	1400 W
Front cooking zone power setting output	3680 W
Rear cooking zone power setting output	2200 W

Product description

- Intuitive control knob
- Performance level display on the cooktop
- Variable heat retention function
- childproofing feature
- Cooking zone timers
- Timer
- Pause function
- automatic heat up function
- pan size recognition
- Demo mode

Scope of delivery

- Induction cooktop PKI3
- 2 x control knobs
- 2 x connection cables for the control knobs
- Connection cable to the extractor
- operating and installation instructions
- mounting straps
- height adjustment plate set

product- and planning instructions

- Rotation by 180° possible during installation
- Please note that induction-compatible cookware must be used on induction cooktops
- Ensure sufficient ventilation of the area below the cooktop.