

## BORA X Pure PUXA2

> Web link



Brief descriptionVRCSurface induction glass ceramic cooktop with extraction<br/>system (shiny glass ceramic)VRCMode of operation5.56Exhaust airPriceArticle no.35940.002.955.00359

VRG 5.56 Price CHF 3593.- O excl. VAT

#### Product description

BORA surface induction cooktop with integrated cooktop extractor (exhaust air) PUXA2

#### Product description

## Cooktop

- Shiny glass ceramicPower level for each cooking zone
- Bridge function
- Timer cooking zones
- Short-term alarm clock
- Residual heat display
- Pot detection
- Pause function
- Warming function
- Parental lock
- Safety shutdown
- Demo mode

#### Extraction system

- Three-colour sControl+ operation
- Power stage
- Automatic trigger control
- Automatic overrunning
- Cleaning lock
- Front power socket
- Exhaust air path length max. 6 m

#### Scope of delivery

- Surface induction hob with integrated hob extractor exhaust air PUXA2
- PUXED2 inlet nozzle, black
- Stainless steel grease filter PUEF
- Operating and intallation instructions
- Mounting clamps, sealing tape
- Height adjustment plate set
- Housing cover power supply
- Installation accessories for the power supply
- Duct connector flat EFV

#### Planning guidelines

- Ensure adequate ventilation under the hob
- Please note that induction-compatible cookware must be used for induction hobs
- Connection cable must be provided by the customer
- Front power socket
- No compatibility with BORA universal ventilators

#### **Technical data**

Supply voltage 400 V 2N /3N 230 V

Frequency 50 Hz

Maximum power consumption 7,6 kW

Fuse protection / power connection 3 x 16 A 2 x 16 A

## BORA X Pure PUXA2

Equipment mass (without duct connections) 830 x 515 x 199 mm

Weight (incl. accessories / packaging) 23,8 kg

Material surface Glass Ceramic

Cooktop

Induction cooking zone front 230 x 230 mm 2100 W

Power level 3000 W

Induction cooking zone rear 230 x 230 mm 2100 W

Power level 3000 W

Power levels 1-9, P

Trigger system

**Maximum air volume** 597 m3 / h

Power levels 1 - 9, P

Connection on exhaust air side BORA Ecotube, 245 x 89 mm

Not compatible with PUED inlet nozzle

### Accessory

## Optional accessories



> Weblink 80.100.016.00 / CHF 359.-Ventilation planning




> Weblink
80.100.017.00 / CHF
192.Revision of the planning

## Other Articles







40.002.955.00 / CHF 3593.-BORA X Pure PUXA2



40.002.956.00 / CHF 3759.-BORA X Pure PUXU2



40.002.065.00 / CHF 2713.-BORA Pure PURA



40.002.066.00 / CHF

BORA Pure PURU

2879.-



40.002.413.00 / CHF 2124.-BORA S Pure PURSA



SUTER

# SUTER

> Web link

## BORA X Pure PUXA2



40.002.390.00 / CHF 2290.-BORA S Pure PURSU



40.002.759.00 / CHF 3068.-BORA M Pure PURMA



40.002.760.00 / CHF 3234.-BORA M Pure PURMU