

Samsung Food Center / Side-by-Side SBS330

[> Web link](#)**Model**

Samsung Food Center / Side-by-Side SBS330

Energy efficiency class

E (New Label 03.21)

Manufacturer ID

RS65DG5403S9/WS

Article no.

500.000.196.00

VRG

46.30

Price CHF

2393.- K excl. VAT

Highlights

- Mono Cooling - uniform cooling keeps food fresh for longer
- AI Energy Mode (WLAN) - optimised power consumption
- NoFrost+ technology - the end of de-icing
- All Around Cooling - consistent temperature in the cooling chamber
- Power Cool / Power Freeze - particularly fast cooling / freezing
- Thrifty and reliable due to digital inverter technology
- Water and ice dispenser
- 4 fully extendable drawers
- 635 litres useful capacity

Product description**Technical specifications**

Appliance type: Food Center / Side-by-Side

Design: Freestanding

Efficiency and consumption

Energy efficiency class (from A to G): E

Design

Front colour: Refined Inox

Door handles: Recessed grip

Display and operation

Display: Digital display

Display and lighting: LED

Operation: Touch operation

Home appliance networking

Samsung Smart Home: WiFi Smart Things

Appliance features

Total usable capacity: 635 L

Useful capacity fridge compartment: 417 L

Useful capacity freezer compartment: 218 L

Airborne noise emission: 37 dB(C)

Type of light source: LED | G

Equipment**Cooling compartment**

Number of glass shelves (shelves): 4

Number of door compartments (and / or containers): 5

Number of vegetable drawers (containers): 2

Wine compartment: -

Egg trays: 10

Freezer compartment

Number of compartments: 4

Number of baskets, containers, drawers: 2

Ice cube trays: -

Samsung Food Center / Side-by-Side SBS330

[> Web link](#)

Further equipment features

Water and ice cube dispenser in door: Yes
 ClearView ice maker: Yes
 Water filter: External, 1 pc. HAF-CIN/EXP included in the scope of delivery
 Fresh Zone compartments: -

Cooling technology

Digital inverter compressor: Yes
 NoFrost+ technology: Yes
 Power Cool: Yes
 All-round cooling (Multi-Flow): Yes
 Smart Conversion 5-in-1: -
 Mono Cooling / Twin Cooling / Triple Cooling: Yes / No / No
 Precise Cooling: No
 Flex Zone: -

Design and labelling

Free-standing appliance: Yes
 Built-in appliance: -
 Can be integrated: -
 Number of outer doors / pull-outs: 2 / 4
 Door hinge: Left, right

Dimensions of the appliance

Device dimensions (H x W x D): 1780 x 912 x 716 mm

Electrical connection

Supply voltage: 230 V / 50 Hz
 Connected loads: 220 W
 Fuse protection: 2.5 A
 Length of mains connection cable: 2.0 m
 Mains connection plug: Plug type 12, 10A

Water connection

Water connection: Yes
 Pressure hose G 3/4": 3/4" transition piece included in the scope of delivery
 Can be connected to: All machine outlet valves
 Can be connected to cold / hot water: Yes / -
 Water pressure: 2 to max. 8 bar
 Water inlet: 5 m flexible hose
 Water drain: -

Weight: - Weight

Weight incl. packaging: 119 kg

Accessory

Included accessories



[> Weblink](#)

500.000.058.00 / CHF

86.-

Water filter

Optional accessories







[> Weblink](#)

500.000.058.00 / CHF


86.-

Water filter



SBS330: 230V / 2.5A, T12, 2000mm

Für dieses Dokument und der darin dargestellten Gegenstände behalten wir uns alle Rechte vor. Vervielfältigung, Verbreitung, auch auszugsweise, ist ohne schriftliche Genehmigung der Suter Inox AG. Alle Rechte vorbehalten.






SBS330: 230V / 2.5A, T12, 2000mm

- Bauseitige Anschlüsse (Strom, Wassereinlauf) dürfen nicht hinter dem Gerät liegen. Das Gerät muss jederzeit ohne Demontage von Möbelteilen aus der Nische gezogen werden können.
- Les raccordements fournis par le client (électricité, arrivée d'eau) ne doivent pas être situés derrière l'appareil. L'appareil doit pouvoir être extrait de la niche sans démonter aucun élément du meuble.
- Gli allacciamenti a cura del committente (elettricità, entrata dell'acqua) non devono trovarsi dietro l'apparecchio. Dev'essere sempre possibile estrarre l'apparecchio dalla nicchia senza smontare parti di mobili.

Frontbündig
Façade affleurante
A filo sulla parte anteriore

Gehäusebündig
Carrosserie affleurante
A filo con l'alloggiamento



SBS330: 230V / 2.5A, T12, 2000mm